




Mapecoat Finisher

Microcrystalline filler material used to create surfaces with a non-slip finish



DESCRIPTION

Mapecoat Finisher is a special, very hard, microcrystalline filler material used to create surfaces with a non-slip finish.

Some application examples

- In polyurethane finishes and coating products such as **Mapecoat Finish 50 N**, **Mapecoat Finish 52 W**, **Mapecoat Finish 53 W/L**, **Mapecoat Finish 54 W/S** and **Mapecoat Finish 58 W**.
- In epoxy finishes and coating products such as **Mapecoat I 24**, **Mapecoat I 620 W**, **Mapecoat I 62 W** and **Mapecoat I 65 W**.

APPLICATION PROCEDURE

Recommended amount to add: 5-10 g/m².

PACKAGING

0.3 kg plastic cans.

STORAGE

The product must be stored in its original packaging in a dry place at a temperature of at least +5°C.

SAFETY INSTRUCTIONS FOR PREPARATION AND APPLICATION

Mapecoat Finisher is not considered hazardous according to current norms and guidelines regarding the classification of mixtures. It is recommended to use protective gloves and goggles and to take the

usual precautions for handling chemicals. For further and complete information about the safe use of our product please refer to the latest version of our Material Safety Data Sheet.

PRODUCT FOR PROFESSIONAL USE.

WARNING

Although the technical details and recommendations contained in this product data sheet correspond to the best of our knowledge and experience, all the above information must, in every case, be taken as merely indicative and subject to confirmation after long-term practical application; for this reason, anyone who intends to use the product must ensure beforehand that it is suitable for the envisaged application. In every case, the user alone is fully responsible for any consequences deriving from the use of the product.

Please refer to the current version of the Technical Data Sheet, available from our website www.mapei.com

All relevant references for the product are available upon request and from www.mapei.com

Mapefloor Filler



TECHNICAL DATA (typical values)

PRODUCT IDENTITY

Colour:	white
Consistency:	crystalline powder
Density (g/ml):	2.70
Particle size distribution:	35% (100 µm residues) 85% (45 µm residues)

